AUTHOR INDEX TO VOLUME 121

| Alper, J.S. and M.A. Lowe, Scaled quantum mechanical calculation of the vibrational structure of methylthiirane | 121 (1988) 189 |
|---|----------------|
| Ameloot, M., see N. Boens | 121 (1988) 73 |
| Auerbach, R.A., see G.N. Kwawer | 121 (1988) 299 |
| Auctoacii, K.A., see O.N. Kwawei | 121 (1900) 299 |
| Bagus, P.S., see C.L. French | 121 (1988) 315 |
| Banichevich, A., S.D. Peyerimhoff, M.C. van Hemert and P.G. Fournier, Potential curves | |
| and predissociation rates for the species HCl ²⁺ and DCl ²⁺ | 121 (1988) 351 |
| Barclay, V.J. and J.S. Wright, MRD CI potential surfaces using balanced basis sets. V. Sec- | |
| ond-row diatomic hydrides | 121 (1988) 381 |
| Baudon, J., see P. Féron | 121 (1988) 155 |
| Bawagan, A.O., see C.L. French | 121 (1988) 315 |
| Beijerinck, H.C.W., see E.R.T. Kerstel | 121 (1988) 211 |
| Benfatto, M., see M.F. Ruiz-Lopez | 121 (1988) 419 |
| Bertault, M., see M. Orczyk | 121 (1988) 245 |
| Blau, W., see C. Maloney | 121 (1988) 21 |
| Bodeur, S., see K.H. Sze | 121 (1988) 279 |
| Boens, N., M. Ameloot, I. Yamazaki and F.C. de Schryver, On the use and the performance of the delta function convolution method for the estimation of fluorescence decay | |
| parameters | 121 (1988) 73 |
| Boens, N., A. Malliaris, M. van der Auweraer, H. Luo and F.C. de Schryver, Simultaneous analysis of single-photon timing data with a reference method: application to a Poisson | |
| distribution of decay rates | 121 (1988) 199 |
| Bombach, R., B. Hemmerling and W. Demtröder, Measurement of broadening rates, shifts, | 121 (1000) 420 |
| and effective lifetimes of Li ₂ Rydberg levels by optical double-resonance spectroscopy | 121 (1988) 439 |
| Boyd, R.J., see K.V. Darvesh | 121 (1988) 361 |
| Brion, C.E., see K.H. Sze | 121 (1988) 279 |
| Brion, C.E., see C.L. French | 121 (1988) 315 |
| Brodovitch, JC., see SK. Leung | 121 (1988) 393 |
| Browarzik, R.K., see R.D. Kenner | 121 (1988) 457 |
| Bull, T.E., Fokker-Planck-Langevin and extended diffusion models of internal rotation | 131 (1000) |
| in molecules. I. Symmetric internal rotor | 121 (1988) |
| Byrne, H., see C. Maloney | 121 (1988) 21 |
| Camacho, J.J., see A. Pardo | 121 (1988) 4 |
| Chrapeć, J., see W. Pyżuk | 121 (1988) 25: |
| Cooper, I.L., A unified approach to the perturbed Morse oscillator and Simons- | , , |
| Parr-Finlan diatomic potential functions | 121 (1988) 343 |
| Darvesh, K.V., R.J. Boyd and S.D. Peyerimhoff, Electronically excited states of chlorine | |
| monofluoride: a multi-reference configuration interaction study | 121 (1988) 36 |

AUTHOR INDEX TO VOLUME 121

| Alper, J.S. and M.A. Lowe, Scaled quantum mechanical calculation of the vibrational structure of methylthiirane | 121 (1988) 189 |
|---|----------------|
| Ameloot, M., see N. Boens | 121 (1988) 73 |
| Auerbach, R.A., see G.N. Kwawer | 121 (1988) 299 |
| Auctoacii, K.A., see O.N. Kwawei | 121 (1900) 299 |
| Bagus, P.S., see C.L. French | 121 (1988) 315 |
| Banichevich, A., S.D. Peyerimhoff, M.C. van Hemert and P.G. Fournier, Potential curves | |
| and predissociation rates for the species HCl ²⁺ and DCl ²⁺ | 121 (1988) 351 |
| Barclay, V.J. and J.S. Wright, MRD CI potential surfaces using balanced basis sets. V. Sec- | |
| ond-row diatomic hydrides | 121 (1988) 381 |
| Baudon, J., see P. Féron | 121 (1988) 155 |
| Bawagan, A.O., see C.L. French | 121 (1988) 315 |
| Beijerinck, H.C.W., see E.R.T. Kerstel | 121 (1988) 211 |
| Benfatto, M., see M.F. Ruiz-Lopez | 121 (1988) 419 |
| Bertault, M., see M. Orczyk | 121 (1988) 245 |
| Blau, W., see C. Maloney | 121 (1988) 21 |
| Bodeur, S., see K.H. Sze | 121 (1988) 279 |
| Boens, N., M. Ameloot, I. Yamazaki and F.C. de Schryver, On the use and the performance of the delta function convolution method for the estimation of fluorescence decay | |
| parameters | 121 (1988) 73 |
| Boens, N., A. Malliaris, M. van der Auweraer, H. Luo and F.C. de Schryver, Simultaneous analysis of single-photon timing data with a reference method: application to a Poisson | |
| distribution of decay rates | 121 (1988) 199 |
| Bombach, R., B. Hemmerling and W. Demtröder, Measurement of broadening rates, shifts, | 121 (1000) 420 |
| and effective lifetimes of Li ₂ Rydberg levels by optical double-resonance spectroscopy | 121 (1988) 439 |
| Boyd, R.J., see K.V. Darvesh | 121 (1988) 361 |
| Brion, C.E., see K.H. Sze | 121 (1988) 279 |
| Brion, C.E., see C.L. French | 121 (1988) 315 |
| Brodovitch, JC., see SK. Leung | 121 (1988) 393 |
| Browarzik, R.K., see R.D. Kenner | 121 (1988) 457 |
| Bull, T.E., Fokker-Planck-Langevin and extended diffusion models of internal rotation | 131 (1000) |
| in molecules. I. Symmetric internal rotor | 121 (1988) |
| Byrne, H., see C. Maloney | 121 (1988) 21 |
| Camacho, J.J., see A. Pardo | 121 (1988) 4 |
| Chrapeć, J., see W. Pyżuk | 121 (1988) 25: |
| Cooper, I.L., A unified approach to the perturbed Morse oscillator and Simons- | , , |
| Parr-Finlan diatomic potential functions | 121 (1988) 343 |
| Darvesh, K.V., R.J. Boyd and S.D. Peyerimhoff, Electronically excited states of chlorine | |
| monofluoride: a multi-reference configuration interaction study | 121 (1988) 36 |

| Davidson, E.R., see C.L. French | 121 (1988) 315 |
|---|----------------|
| Deeth, R.J., B.N. Figgis and M.I. Ogden, Spin densities and covalency in transition-metal | |
| complexes: a comparison of discrete variational $X\alpha$ calculations with polarised neutron | |
| diffraction data | 121 (1988) 115 |
| Demtröder, W., see R. Bombach | 121 (1988) 439 |
| Dennis, W.M., see C. Maloney | 121 (1988) 21 |
| De Schryver, F.C., see N. Boens | 121 (1988) 73 |
| De Schryver, F.C., see K. Nakatani | 121 (1988) 87 |
| De Schryver, F.C., see N. Boens | 121 (1988) 199 |
| Dreyfus, C., see N. Dutartre | 121 (1988) 371 |
| Duplan, JC., see J. Gilchrist | 121 (1988) 131 |
| Dutartre, N. and C. Dreyfus, Computation of the short-range part of the intermolecular | |
| potential between Ar and CO2, N2O and OCS by two different models | 121 (1988) 371 |
| Firm D. Di. Circul J. Dahest J. Drieberts and J. Druder Differential and about | |
| Féron, P., Ph. Girard, J. Robert, J. Reinhardt and J. Baudon, Differential and absolute- | 101 (1000) 166 |
| total cross section measurements on elastic Ne*(3P _{0,2})-He collisions at 64 meV | 121 (1988) 155 |
| Ferretti, A. and N.K. Rahman, A study of coupled logistic map and its applications in | |
| chemical physics. Chem. Phys. 119 (1988) 275. Erratum | 121 (1988) 161 |
| Figgis, B.N., see R.J. Deeth | 121 (1988) 115 |
| Fournier, P.G., see A. Banichevich | 121 (1988) 351 |
| French, C.L., C.E. Brion, A.O. Bawagan, P.S. Bagus and E.R. Davidson, Electron mo- | |
| mentum spectroscopy of the valence orbitals of CO: quantitative comparisons using | |
| wavefunctions up to the Hartree-Fock limit | 121 (1988) 315 |
| Fukushima, M., see K. Shibuya | 121 (1988) 237 |
| Gilchrist, J., JC. Duplan and Y. Infarnet, Pyrrolidine conformation: a low-temperature | |
| dielectric relaxation study | 121 (1988) 131 |
| Girard, Ph., see P. Féron | 121 (1988) 155 |
| Goulon, J., see M.F. Ruiz-Lopez | 121 (1988) 419 |
| Outon, s., see M.I. Natz Zopez | 121 (1700) 117 |
| Hemmerling, B., see R. Bombach | 121 (1988) 439 |
| Hikida, T., Y. Maruyama, Y. Saito and Y. Mori, Formation of NH(c ¹ Π) and NH(A ³ Π) | |
| in the photolysis of NH ₃ , HN ₃ and HNCO at 121.6 nm | 121 (1988) 63 |
| Hillier, I.H., see G.E. Quelch | 121 (1988) 183 |
| Hitchcock, A.P. and M. Tronc, Ionization current detection of soft X-ray photoabsorption: | , , |
| sulfur and chlorine K-shell spectra of SO ₂ F ₂ , SO ₂ FCl and SO ₂ Cl ₂ | 121 (1988) 265 |
| Hitchcock, A.P., see K.H. Sze | 121 (1988) 279 |
| | |
| Infarnet, Y., see J. Gilchrist | 121 (1988) 131 |
| Kambara, T., see T. Matsuo | 121 (1988) 93 |
| Karpfen, A., see M. Kofranek | 121 (1988) 137 |
| Kase, M., see T. Matsuo | 121 (1988) 93 |
| Kasuya, T., see K. Tsukiyama | 121 (1988) 55 |
| Kelly, J.M., see C. Maloney | 121 (1988) 21 |
| Kenner, R.D., R.K. Browarzik and F. Stuhl, Two-photon formation of NH/ND(A ³ Π) in | (/ |
| the 193 nm photolysis of ammonia. II. Photolysis of NH ₂ | 121 (1988) 457 |
| | |

| Kerstel, E.R.T., C.P.J.W. van Kruysdijk, J.C. Vlugter and H.C.W. Beijerinck, Long-range intermolecular potentials for the metastable rare gas-rare gas systems Ar*, | |
|---|----------------|
| $Kr^*(^3P_{0,2}) + Ar, Kr, Xe$ | 121 (1988) 211 |
| Kofranek, M., H. Lischka and A. Karpfen, Coupled pair functional study on the hydrogen | 101 (1000) 100 |
| fluoride dimer. I. Energy surface and characterization of stationary points | 121 (1988) 137 |
| Kumagai, H., see T. Matsuo | 121 (1988) 93 |
| Kwawer, G.N., R.A. Auerbach and G.L. McPherson, Exciton trapping at perturbed Mn ²⁺ sites in Li ⁺ doped crystals of RbMnCl ₃ and CsMnBr ₃ | 121 (1988) 299 |
| Leung, SK., JC. Brodovitch, P.W. Percival, D. Yu and K.E. Newman, The reaction of | |
| muonium with hydrated electrons | 121 (1988) 393 |
| Lischka, H., see M. Kofranek | 121 (1988) 137 |
| Loos, M., see M.F. Ruiz-Lopez | 121 (1988) 419 |
| Lowe, M.A., see J.S. Alper | 121 (1988) 189 |
| Luo, H., see N. Boens | 121 (1988) 199 |
| Majitov, M.I., see Yu.A. Serebrennikov | 121 (1988) 307 |
| Malliaris, A., see N. Boens | 121 (1988) 199 |
| Maloney, C., H. Byrne, W.M. Dennis, W. Blau and J.M. Kelly, Picosecond optical phase | , , |
| conjugation using conjugated organic molecules | 121 (1988) 21 |
| Malysheva, L.I., see A.I. Onipko | 121 (1988) 99 |
| Martin, E., see A. Pardo | 121 (1988) 41 |
| Maruyama, Y., see T. Hikida | 121 (1988) 63 |
| Mataga, N., see K. Nakatani | 121 (1988) 87 |
| Matsuo, T., T. Tonuma, M. Kase, T. Kambara, H. Kumagai and H. Tawara, Production | (, |
| of multiply charged ions from CO and CO ₂ molecules in energetic heavy-ion impact | 121 (1988) 93 |
| McPherson, G.L., see G.N. Kwawer | 121 (1988) 299 |
| Mori, Y., see T. Hikida | 121 (1988) 63 |
| Motyka, A.L. and M.R. Topp, Non-radiative relaxation in jet-cooled xanthione and some | 121 (1700) 00 |
| molecular complexes studied by fluorescence and phosphorescence excitation | 121 (1988) 405 |
| Muldakhmetov, Z.M., see Yu.A. Serebrennikov | 121 (1988) 307 |
| Munakata, T., see K. Tsukiyama | 121 (1988) 55 |
| Munn, R.W. and R.J. Phillips, Effective polarizabilities in absorbing regions of molecular | 121 (1700) 33 |
| crystals | 121 (1988) 335 |
| Nakatani, K., T. Okada, N. Mataga and F.C. de Schryver, Photoinduced intramolecular electron transfer and exciplex formation of 1-(1-pyrenyl)-3-(N-skatolyl)propane in po- | |
| lar solvents | 121 (1988) 87 |
| Natoli, C.R., see M.F. Ruiz-Lopez | 121 (1988) 419 |
| Nemoto, M., see K. Shibuya | 121 (1988) 237 |
| Newman, K.E., see SK. Leung | 121 (1988) 393 |
| Obi, K., see K. Shibuya | 121 (1988) 237 |
| Ogden, M.I., see R.J. Deeth | 121 (1988) 115 |
| Okada, T., see K. Nakatani | 121 (1988) 87 |
| Onipko, A.I., L.I. Malysheva and I.V. Zozulenko, Diffusive excitation energy transport in | |
| quasi-one-dimensional crystals with traps and in related systems | 121 (1988) 99 |
| | |

| Orczyk, M., J. Sworakowski, M. Schott and M. Bertault, Evolution of photoelectric signal | |
|--|----------------|
| in p TS diacetylene single crystals during solid-state polymerization | 121 (1988) 245 |
| Pardo, A., J.J. Camacho, J.M.L. Poyato and E. Martin, Accurate potential energy curves | |
| for the $X^1\Sigma^+$ and $A^1\Sigma^+$ states of NaH | 121 (1988) 41 |
| Percival, P.W., see SK. Leung | 121 (1988) 393 |
| Peyerimhoff, S.D., see A. Banichevich | 121 (1988) 351 |
| Peyerimhoff, S.D., see K.V. Darvesh | 121 (1988) 361 |
| Phillips, R.J., see R.W. Munn | 121 (1988) 335 |
| Poyato, J.M.L., see A. Pardo | 121 (1988) 41 |
| Pyżuk, W., I. Słomka, J. Chrapeć, S. Rzoska and J. Zioło, Pretransitional nonlinear die- | |
| lectric effect, Kerr effect and optical rotation in isotropic cholesterogens | 121 (1988) 255 |
| Quelch, G.E. and I.H. Hillier, An ab initio molecular orbital study of the structure and | |
| vibrational frequencies of methyl copper hydride, CH ₃ CuH | 121 (1988) 183 |
| Rahman, N.K., see A. Ferretti | 121 (1988) 161 |
| Reinhardt, J., see P. Féron | 121 (1988) 155 |
| Robert, J., see P. Féron | 121 (1988) 155 |
| Roliński, O., Time evolution of the excited solute-solvent interaction energy. An approach | , , , , , , |
| based on the Fokker-Planck equation | 121 (1988) 175 |
| Ruiz-Lopez, M.F., M. Loos, J. Goulon, M. Benfatto and C.R. Natoli, Reinvestigation of | , |
| the EXAFS and XANES spectra of ferrocene and nickelocene in the framework of the | |
| multiple scattering theory | 121 (1988) 419 |
| Rzoska, S., see W. Pyżuk | 121 (1988) 255 |
| Saito, Y., see T. Hikida | 121 (1988) 63 |
| Schott, M., see M. Orczyk | 121 (1988) 245 |
| Serebrennikov, Yu.A., M.I. Majitov and Z.M. Muldakhmetov, Zero-field NMR line shapes: | |
| heteronuclear spin systems | 121 (1988) 307 |
| Shibuya, K., M. Nemoto, A. Yanagibori, M. Fukushima and K. Obi, Spectroscopy and ki- | |
| netics of thiophenoxy radicals in the gas phase | 121 (1988) 237 |
| Sienicki, K. and M.A. Winnik, Donor-acceptor kinetics in the presence of energy migra- | |
| tion. Forward and reverse energy transfer | 121 (1988) 163 |
| Slomka, I., see W. Pyżuk | 121 (1988) 255 |
| Stuhl, F., see R.D. Kenner | 121 (1988) 457 |
| Sworakowski, J., see M. Orczyk | 121 (1988) 245 |
| Sze, K.H., C.E. Brion, M. Tronc, S. Bodeur and A.P. Hitchcock, Inner and valence shell | |
| electronic excitation of dimethyl sulfoxide by electron energy loss and photoabsorption spectroscopies | 121 (1988) 279 |
| Szostak, M.M., Vibronic couplings in vibrational spectra and nonlinear electrooptic prop- | (, |
| erties of meta-nitroaniline crystal | 121 (1988) 449 |
| Tawara, H., see T. Matsuo | 121 (1988) 93 |
| Tonuma, T., see T. Matsuo | 121 (1988) 93 |
| Topp, M.R., see A.L. Motyka | 121 (1988) 405 |
| Tronc, M., see A.P. Hitchcock | 121 (1988) 265 |
| arony, are, our case canonicous. | .21 (1700) 200 |

| Tronc, M., see K.H. Sze | 121 (1988) 279 |
|--|----------------|
| Tsukakoshi, M., see K. Tsukiyama | 121 (1988) 55 |
| Tsukiyama, K., T. Munakata, M. Tsukakoshi and T. Kasuya, Fluorescence lifetimes of NO $A^2\Sigma^+(v'=3 \text{ and } 4)$, $C^2\Pi(v'=0)$ and $D^2\Sigma^+(v'=0)$ studied by tunable VUV laser | |
| excitation | 121 (1988) 55 |
| Van der Auweraer, M., see N. Boens | 121 (1988) 199 |
| Van Hemert, M.C., see A. Banichevich | 121 (1988) 351 |
| Van Kruysdijk, C.P.J.W., see E.R.T. Kerstel | 121 (1988) 211 |
| Vlugter, J.C., see E.R.T. Kerstel | 121 (1988) 211 |
| Winnik, M.A., see K. Sienicki | 121 (1988) 163 |
| Wright, J.S., see V.J. Barclay | 121 (1988) 381 |
| Yamazaki, I., see N. Boens | 121 (1988) 73 |
| Yanagibori, A., see K. Shibuya | 121 (1988) 237 |
| Yu, D., see SK. Leung | 121 (1988) 393 |
| Zioło, J., see W. Pyżuk | 121 (1988) 255 |
| Zozulenko, I.V., see A.I. Onipko | 121 (1988) 99 |

LIST OF SUBJECTS

1 METHODS

1.1 Theoretical

- 1.1.1 Group theory and algebras *
- Classical mechanics * 1.1.2
- 1.1.3 Quantized field theory *
- 1.1.4 Many body and quasiparticle approaches *
- 1.1.5 Coupling schemes and perturbative treatments *
- 1.1.6 Relativistic quantum mechanics *
- 1.1.7 Transport quantum mechanics
- 1.1.8 Equilibrium statistical mechanics
- Statistical mechanics of stationary states * 1.1.9
- 1.1.10 Non-equilibrium thermodynamic and hydrodynamic theories *
- 1.1.11 Ab initio schemes for stationary properties *
- Computational and simulation methods *
- 1.1.13 Molecular dynamics and scattering theory *

1.2 Experimental

- 1.2.1 Magnetic resonances
- 1.2.2 Cyclotron resonance
- 1.2.3 Microwave spectroscopy
- 1.2.4 Infrared spectroscopy *
- 1.2.5 Raman spectroscopy *
- 1.2.6 Visible and UV spectroscopy *
- 1.2.7 Fluorescence spectroscopy *
- 1.2.8 Photoelectron and Auger spectroscopy
- 1.2.9 X-ray spectroscopy *
- 1.2.10 Electron impact spectroscopy *
- 1.2.11 Laser methods *
- 1.2.12 Picosecond spectroscopy *
- 1.2.13 Non-linear optical spectroscopy *
- 1.2.14 Synchrotron spectroscopies *
- 1.2.15 Coherent optical spectroscopy
- 1.2.16 Optical pumping
- 1.2.17 Multiple resonance spectroscopy
- 1.2.18 Optoacoustic spectroscopy
- 1.2.19 Atomic and molecular beam techniques *
- 1.2.20 Time-resolved experiments *
- 1.2.21 Mass spectrometry *
- 1.2.22 Radiolysis *
- 1.2.23 Mössbauer spectroscopy
- 1.2.24 X-ray, electron and neutron diffraction
- 1.2.25 Neutron scattering *
- 1.2.26 Light scattering
- 1.2.27 Field emission and field ionization
- 1.2.28 Measurement of macroscopic variables *

2 OBJECTS

2.1 Bulk systems

- 2.1.1 Gases *
- 2.1.2 Supersonic beams *
- 2.1.3 Liquids neat *
- 2.1.4 Liquid mixtures and solutions *
- 2.1.5 Crystals *
- 2.1.5.1 neat *
- 2.1.5.2 mixed *
- 2.1.6 Glasses
- 2.1.7 Liquid crystals *
- 2.1.8 Polymers *
- Semiconductors 2.1.9
- 2.1.10 Metals and allovs
- 2.1.11 Thin films
- 2.1.12 Surfaces
- 2.1.13 Low-dimensional materials *
- 2.1.14 Dielectrics *
- 2.1.15 Plasmas
- 2.1.16 Biological systems

2.2 Microscopic systems

- 2.2.1 Atoms *
- 2.2.2 Molecules (neutral and ionic) *
- 2.2.2.1 diatomic *
- 2.2.2.2 small polyatomics *
- 2.2.2.3 aromatics *
- 2.2.2.4 other large *
- 2.2.2.5 polymeric and biological
- 2.2.3 Molecular aggregates *
- 2.2.3.1 dimers *
- 2.2.3.2 van der Waals molecules
- 2.2.3.3
- 2.2.3.4 complexes
- 2.2.4 Free radicals (including hydronium and muonium) *
- 2.2.5 Quasiparticles (including excitons) *
- 2.2.6 Defects and impurities
- 2.2.7 Ions and charge carriers

^{*} Denotes subjects covered in this volume

3 PHENOMENA

| 3 | ENOMENA | | |
|--------|--|--------|--|
| | | 3.16 | Multiphoton phenomena |
| 3.1 | Molecular structure * | 3.17 | Reactions (including dissociation) * |
| 3.2 | Vibrations and rotations of molecules * | 3.17.1 | gas phase * |
| 3.3 | Electronic structure and states * | 3.17.2 | condensed phase * |
| 3.4 | Electric and magnetic properties * | 3.17.3 | photochemical * |
| 3.5 | Spin splittings * | 3.18 | Tunnelling * |
| 3.6 | Optical activity * | 3.19 | Electron transfer * |
| 3.7 | Molecular interactions * | 3.20 | Positron annihilation |
| 3.8 | Spectral bandshapes and intensities * | 3.21 | Ionization (including Rydberg states) * |
| 3.9 | Coupling of electronic and nuclear motion * | 3.22 | Molecular motion (including diffusive) * |
| 3.10 | Energy transfer processes * | 3.23 | Isotopic effects |
| 3.11 | Molecular photophysical processes * | 3.24 | Fluctuations and noise |
| 3.12 | Intramolecular dynamics * | 3.25 | Collective motion and excitations |
| 3.12.1 | radiationless transitions * | 3.26 | Surface effects and catalysis |
| 3.12.2 | vibrational energy redistribution (including | 3.27 | Thermodynamic and transport properties |
| | vibrational dissociation) * | 3.28 | Structure of solids and liquids |
| 3.13 | Luminescence spectra, yields and lifetimes * | 3.29 | Critical phenomena * |
| 3.14 | Coherence loss processes | 3.30 | Phase transitions |
| 3.15 | Non-linear responses (including optical) * | | |

SUBJECT INDEX TO VOLUME 121

METHODS

Theoretical

| Group theory and algebras | |
|---|----------------|
| Zero-field NMR line shapes: heteronuclear spin systems, Yu.A. Serebrennikov, M.I. Majitov | 404 44000 400 |
| and Z.M. Muldakhmetov | 121 (1988) 307 |
| Classical mechanics | |
| Fokker-Planck-Langevin and extended diffusion models of internal rotation in molecules. | |
| I. Symmetric internal rotor, T.E. Bull | 121 (1988) 1 |
| Quantized field theory | |
| Accurate potential energy curves for the $X^{1}\Sigma^{+}$ and $A^{1}\Sigma^{+}$ states of NaH, A. Pardo, | |
| J.J. Camacho, J.M.L. Poyato and E. Martin | 121 (1988) 41 |
| Many body and quasiparticle approaches | |
| Dono:-acceptor kinetics in the presence of energy migration. Forward and reverse energy | |
| transfer, K. Sienicki and M.A. Winnik | 121 (1988) 163 |
| Electron momentum spectroscopy of the valence orbitals of CO: quantitative comparisons | |
| using wavefunctions up to the Hartree-Fock limit, C.L. French, C.E. Brion, | |
| A.O. Bawagan, P.S. Bagus and E.R. Davidson | 121 (1988) 315 |
| Effective polarizabilities in absorbing regions of molecular crystals, R.W. Munn and | |
| R.J. Phillips | 121 (1988) 335 |
| Coupling schemes and perturbative treatments | |
| Zero-field NMR line shapes: heteronuclear spin systems, Yu.A. Serebrennikov, M.I. Majitov | |
| and Z.M. Muldakhmetov | 121 (1988) 307 |
| Relativistic quantum mechanics | |
| Electron momentum spectroscopy of the valence orbitals of CO: quantitative comparisons | |
| using wavefunctions up to the Hartree-Fock limit, C.L. French, C.E. Brion, | |
| A.O. Bawagan, P.S. Bagus and E.R. Davidson | 121 (1988) 315 |
| Statistical mechanics of stationary states | |
| Fokker-Planck-Langevin and extended diffusion models of internal rotation in molecules. | |
| I. Symmetric internal rotor, T.E. Bull | 121 (1988) 1 |
| Non-equilibrium thermodynamic and hydrodynamic theories | |
| Time evolution of the excited solute-solvent interaction energy. An approach based on the | |
| Fokker-Planck equation, O. Roliński | 121 (1988) 175 |

| Ab initio schemes for stationary properties | |
|--|----------------|
| Spin densities and covalency in transition-metal complexes: a comparison of discrete variational $X\alpha$ calculations with polarised neutron diffraction data, R.J. Deeth, B.N. Figgis | |
| and M.I. Ogden | 121 (1988) 115 |
| Coupled pair functional study on the hydrogen fluoride dimer. I. Energy surface and characterization of stationary points, M. Kofranek, H. Lischka and A. Karpfen | 121 (1988) 137 |
| An ab initio molecular orbital study of the structure and vibrational frequencies of methyl copper hydride, CH ₃ CuH, G.E. Quelch and I.H. Hillier | 121 (1988) 183 |
| Potential curves and predissociation rates for the species HCl ²⁺ and DCl ²⁺ , A. Banichevich, S.D. Peyerimhoff, M.C. van Hemert and P.G. Fournier | 121 (1988) 351 |
| Electronically excited states of chlorine monofluoride: a multi-reference configuration interaction study, K.V. Darvesh, R.J. Boyd and S.D. Peyerimhoff | 121 (1988) 361 |
| Computation of the short-range part of the intermolecular potential between Ar and CO ₂ , N ₂ O and OCS by two different models, N. Dutartre and C. Dreyfus | 121 (1988) 371 |
| MRD CI potential surfaces using balanced basis sets. V. Second-row diatomic hydrides, V.J. Barclay and J.S. Wright | 121 (1988) 381 |
| Computational and simulation methods | |
| Scaled quantum mechanical calculation of the vibrational structure of methylthiirane, J.S. Alper and M.A. Lowe | 121 (1988) 189 |
| Simultaneous analysis of single-photon timing data with a reference method: application to a Poisson distribution of decay rates, N. Boens, A. Malliaris, M. van der Auweraer, | |
| H. Luo and F.C. de Schryver | 121 (1988) 199 |
| A unified approach to the perturbed Morse oscillator and Simons-Parr-Finlan diatomic potential functions, I.L. Cooper | 121 (1988) 343 |
| Reinvestigation of the EXAFS and XANES spectra of ferrocene and nickelocene in the framework of the multiple scattering theory, M.F. Ruiz-Lopez, M. Loos, J. Goulon, | 121 (1700) 110 |
| M. Benfatto and C.R. Natoli | 121 (1988) 419 |
| Molecular dynamics and scattering theory | |
| Fokker-Planck-Langevin and extended diffusion models of internal rotation in molecules. I. Symmetric internal rotor, T.E. Bull | 121 (1988) 1 |
| Long-range intermolecular potentials for the metastable rare gas-rare gas systems Ar*, Kr*(3P _{0.2})+Ar, Kr, Xe, E.R.T. Kerstel, C.P.J.W. van Kruysdijk, J.C. Vlugter and | 121 (1700) |
| H.C.W. Beijerinck | 121 (1988) 211 |
| Experimental | |
| Infrared spectroscopy | |
| Vibronic couplings in vibrational spectra and nonlinear electrooptic properties of meta- nitroaniline crystal, M.M. Szostak | 121 (1988) 449 |
| Raman spectroscopy | |
| Vibronic couplings in vibrational spectra and nonlinear electrooptic properties of meta- | 131 (1000) 440 |

121 (1988) 449

nitroaniline crystal, M.M. Szostak

| Visible and UV spectroscopy | | | |
|---|-------|--------|------|
| Accurate potential energy curves for the $X^{1}\Sigma^{+}$ and $A^{1}\Sigma^{+}$ states of NaH, A. Pardo, | | | |
| J.J. Camacho, J.M.L. Poyato and E. Martin | 121 (| (1988) | 41 |
| Spectroscopy and kinetics of thiophenoxy radicals in the gas phase, K. Shibuya, M. Nemoto, | | | |
| A. Yanagibori, M. Fukushima and K. Obi | 121 (| (1988) | 237 |
| Measurement of broadening rates, shifts, and effective lifetimes of Li ₂ Rydberg levels by | | | |
| optical double-resonance spectroscopy, R. Bombach, B. Hemmerling and W. Demtröder | 121 (| (1988) | 439 |
| Fluorescence spectroscopy | | | |
| Fluorescence lifetimes of NO A ² Σ^+ ($v' = 3$ and 4), C ² $\Pi(v' = 0)$ and D ² Σ^+ ($v' = 0$) studied | | | |
| by tunable VUV laser excitation, K. Tsukiyama, T. Munakata, M. Tsukakoshi and | | | |
| T. Kasuya | 121 | (1988) | 55 |
| Formation of NH(c ¹ Π) and NH(A ³ Π) in the photolysis of NH ₃ , HN ₃ and HNCO at 121.6 | 101 | (1000) | - |
| nm, T. Hikida, Y. Maruyama, Y. Saito and Y. Mori | 121 | (1988) | 63 |
| On the use and the performance of the delta function convolution method for the esti- mation of fluorescence decay parameters, N. Boens, M. Ameloot, I. Yamazaki and | | | |
| F.C. de Schryver | 121 | (1988) | 73 |
| Donor-acceptor kinetics in the presence of energy migration. Forward and reverse energy | 141 | (1700) | 13 |
| transfer, K. Sienicki and M.A. Winnik | 121 | (1988) | 163 |
| Simultaneous analysis of single-photon timing data with a reference method: application | 101 | (1700) | 105 |
| to a Poisson distribution of decay rates, N. Boens, A. Malliaris, M. van der Auweraer, | | | |
| H. Luo and F.C. de Schryver | 121 | (1988) | 199 |
| Exciton trapping at perturbed Mn2+ sites in Li+ doped crystals of RbMnCl3 and CsMnBr3, | | | |
| G.N. Kwawer, R.A. Auerbach and G.L. McPherson | 121 | (1988) | 299 |
| Non-radiative relaxation in jet-cooled xanthione and some molecular complexes studied | | | |
| by fluorescence and phosphorescence excitation, A.L. Motyka and M.R. Topp | 121 | (1988) | 405 |
| Two-photon formation of NH/ND($A^3\Pi$) in the 193 nm photolysis of ammonia. II. Pho- | | | |
| tolysis of NH ₂ , R.D. Kenner, R.K. Browarzik and F. Stuhl | 121 | (1988) | 457 |
| X-ray spectroscopy | | | |
| Ionization current detection of soft X-ray photoabsorption: sulfur and chlorine K-shell | | | |
| spectra of SO ₂ F ₂ , SO ₂ FCl and SO ₂ Cl ₂ , A.P. Hitchcock and M. Tronc | 121 | (1988) | 265 |
| Reinvestigation of the EXAFS and XANES spectra of ferrocene and nickelocene in the | | | |
| framework of the multiple scattering theory, M.F. Ruiz-Lopez, M. Loos, J. Goulon, | | ****** | 440 |
| M. Benfatto and C.R. Natoli | 121 | (1988) | 419 |
| Electron impact spectroscopy | | | |
| Inner and valence shell electronic excitation of dimethyl sulfoxide by electron energy loss | | | |
| and photoabsorption spectroscopies, K.H. Sze, C.E. Brion, M. Tronc, S. Bodeur and | | | |
| A.P. Hitchcock | 121 | (1988) | 279 |
| Electron momentum spectroscopy of the valence orbitals of CO: quantitative comparisons | | | |
| using wavefunctions up to the Hartree-Fock limit, C.L. French, C.E. Brion, | 101 | (1000) | 215 |
| A.O. Bawagan, P.S. Bagus and E.R. Davidson | 121 | (1988) | 315 |
| Laser methods | | | |
| Picosecond optical phase conjugation using conjugated organic molecules, C. Maloney, | 40- | 44000 | |
| H. Byrne, W.M. Dennis, W. Blau and J.M. Kelly | 121 | (1988) |) 21 |
| Differential and absolute-total cross section measurements on elastic Ne*(3P _{0,2})-He col- | | | |

| lisions at 64 meV, P. Féron, Ph. Girard, J. Robert, J. Reinhardt and J. Baudon Spectroscopy and kinetics of thiophenoxy radicals in the gas phase, K. Shibuya, M. Nemoto, | 121 (1988) 155 |
|---|----------------|
| A. Yanagibori, M. Fukushima and K. Obi | 121 (1988) 237 |
| Measurement of broadening rates, shifts, and effective lifetimes of Li ₂ Rydberg levels by optical double-resonance spectroscopy, R. Bombach, B. Hemmerling and W. Demtröder | 121 (1988) 439 |
| Picosecond spectroscopy | |
| Picosecond optical phase conjugation using conjugated organic molecules, C. Maloney, H. Byrne, W.M. Dennis, W. Blau and J.M. Kelly | 121 (1988) 21 |
| Photoinduced intramolecular electron transfer and exciplex formation of 1-(1-pyrenyl)-3-(N-skatolyl)propane in polar solvents, K. Nakatani, T. Okada, N. Mataga and | 121 (1000) 07 |
| F.C. de Schryver | 121 (1988) 87 |
| Non-linear optical spectroscopy | |
| Picosecond optical phase conjugation using conjugated organic molecules, C. Maloney, H. Byrne, W.M. Dennis, W. Blau and J.M. Kelly | 121 (1988) 21 |
| Measurement of broadening rates, shifts, and effective lifetimes of Li ₂ Rydberg levels by optical double-resonance spectroscopy, R. Bombach, B. Hemmerling and W. Demtröder | 121 (1988) 439 |
| Synchrotron spectroscopies | |
| Inner and valence shell electronic excitation of dimethyl sulfoxide by electron energy loss and photoabsorption spectroscopies, K.H. Sze, C.E. Brion, M. Tronc, S. Bodeur and | |
| A.P. Hitchcock Reinvestigation of the EXAFS and XANES spectra of ferrocene and nickelocene in the | 121 (1988) 279 |
| framework of the multiple scattering theory, M.F. Ruiz-Lopez, M. Loos, J. Goulon, M. Benfatto and C.R. Natoli | 121 (1988) 419 |
| Atomic and molecular beam techniques | |
| Production of multiply charged ions from CO and CO ₂ molecules in energetic heavy-ion impact, T. Matsuo, T. Tonuma, M. Kase, T. Kambara, H. Kumagai and H. Tawara | 121 (1988) 93 |
| Differential and absolute-total cross section measurements on elastic Ne*(³ P _{0,2})-He collisions at 64 meV, P. Féron, Ph. Girard, J. Robert, J. Reinhardt and J. Baudon | 121 (1988) 155 |
| Long-range intermolecular potentials for the metastable rare gas—rare gas systems Ar*, Kr*(3P _{0.2})+Ar, Kr, Xe, E.R.T. Kerstel, C.P.J.W. van Kruysdijk, J.C. Vlugter and | 121 (1900) 133 |
| H.C.W. Beijerinck | 121 (1988) 211 |
| Time-resolved experiments | |
| On the use and the performance of the delta function convolution method for the esti- mation of fluorescence decay parameters, N. Boens, M. Ameloot, I. Yamazaki and | |
| F.C. de Schryver Photoinduced intramolecular electron transfer and exciplex formation of 1-(1-pyrenyl)- | 121 (1988) 73 |
| 3-(N-skatolyl)propane in polar solvents, K. Nakatani, T. Okada, N. Mataga and F.C. de Schryver | 121 (1988) 87 |
| Diffusive excitation energy transport in quasi-one-dimensional crystals with traps and in | |
| related systems, A.I. Onipko, L.I. Malysheva and I.V. Zozulenko Spectroscopy and kinetics of thiophenoxy radicals in the gas phase, K. Shibuya, M. Nemoto, | 121 (1988) 99 |
| A. Yanagibori, M. Fukushima and K. Obi | 121 (1988) 237 |

| The reaction of muonium with hydrated electrons, SK. Leung, JC. Brodovitch, P.W. Percival, D. Yu and K.E. Newman | 121 (1988) 393 |
|---|----------------|
| Mass spectrometry | |
| Production of multiply charged ions from CO and CO ₂ molecules in energetic heavy-ion impact, T. Matsuo, T. Tonuma, M. Kase, T. Kambara, H. Kumagai and H. Tawara | 121 (1988) 93 |
| Radiolysis | |
| The reaction of muonium with hydrated electrons, SK. Leung, JC. Brodovitch, P.W. Percival, D. Yu and K.E. Newman | 121 (1988) 393 |
| Neutron scattering | |
| Spin densities and covalency in transition-metal complexes: a comparison of discrete variational $X\alpha$ calculations with polarised neutron diffraction data, R.J. Deeth, B.N. Figgis and M.I. Ogden | 121 (1000) 115 |
| and M.I. Ogden | 121 (1988) 115 |
| Measurement of macroscopic variables | |
| Pyrrolidine conformation: a low-temperature dielectric relaxation study, J. Gilchrist, JC. Duplan and Y. Infarnet | 121 (1000) 121 |
| Evolution of photoelectric signal in pTS diacetylene single crystals during solid-state po- | 121 (1988) 131 |
| lymerization, M. Orczyk, J. Sworakowski, M. Schott and M. Bertault | 121 (1988) 245 |
| Pretransitional nonlinear dielectric effect, Kerr effect and optical rotation in isotropic cholesterogens, W. Pyżuk, I. Słomka, J. Chrapeć, S. Rzoska and J. Zioło | 121 (1988) 255 |
| OBJECTS | |
| Bulk systems | |
| Gases | |
| Formation of NH(c¹Π) and NH(A³Π) in the photolysis of NH ₃ , HN ₃ and HNCO at 121.6 nm, T. Hikida, Y. Maruyama, Y. Saito and Y. Mori | 121 (1988) 63 |
| Supersonic beams | |
| Non-radiative relaxation in jet-cooled xanthione and some molecular complexes studied by fluorescence and phosphorescence excitation, A.L. Motyka and M.R. Topp | 121 (1988) 405 |
| Liquids neat | |
| Zero-field NMR line shapes: heteronuclear spin systems, Yu.A. Serebrennikov, M.I. Majitov and Z.M. Muldakhmetov | 121 (1988) 307 |
| Liquid mixtures and solutions | |
| Photoinduced intramolecular electron transfer and exciplex formation of 1-(1-pyrenyl)-3-(N-skatolyl)propane in polar solvents, K. Nakatani, T. Okada, N. Mataga and | (1000) |
| F.C. de Schryver Donor-acceptor kinetics in the presence of energy migration. Forward and reverse energy | 121 (1988) 87 |
| transfer, K. Sienicki and M.A. Winnik | 121 (1988) 163 |

| Crystals | |
|---|----------------|
| Exciton trapping at perturbed Mn ²⁺ sites in Li ⁺ doped crystals of RbMnCl ₃ and CsMnBr ₃ , G.N. Kwawer, R.A. Auerbach and G.L. McPherson | 121 (1988) 299 |
| -neat | |
| Vibronic couplings in vibrational spectra and nonlinear electrooptic properties of meta- nitroaniline crystal, M.M. Szostak | 121 (1988) 449 |
| -mixed | |
| Evolution of photoelectric signal in pTS diacetylene single crystals during solid-state polymerization, M. Orczyk, J. Sworakowski, M. Schott and M. Bertault | 121 (1988) 245 |
| Liquid crystals | |
| Pretransitional nonlinear dielectric effect, Kerr effect and optical rotation in isotropic cholesterogens, W. Pyżuk, I. Słomka, J. Chrapeć, S. Rzoska and J. Zioło | 121 (1988) 255 |
| Polymers | |
| Evolution of photoelectric signal in pTS diacetylene single crystals during solid-state polymerization, M. Orczyk, J. Sworakowski, M. Schott and M. Bertault | 121 (1988) 245 |
| Low-dimensional materials | |
| Diffusive excitation energy transport in quasi-one-dimensional crystals with traps and in related systems, A.I. Onipko, L.I. Malysheva and I.V. Zozulenko | 121 (1988) 99 |
| Evolution of photoelectric signal in pTS diacetylene single crystals during solid-state polymerization, M. Orczyk, J. Sworakowski, M. Schott and M. Bertault | 121 (1988) 245 |
| Dielectrics | |
| Pyrrolidine conformation: a low-temperature dielectric relaxation study, J. Gilchrist, JC. Duplan and Y. Infarnet | 121 (1988) 131 |
| Effective polarizabilities in absorbing regions of molecular crystals, R.W. Munn and R.J. Phillips | 121 (1988) 335 |
| Microscopic systems | |
| Atoms | |
| Long-range intermolecular potentials for the metastable rare gas-rare gas systems Ar*, Kr*(3P _{0,2})+Ar, Kr, Xe, E.R.T. Kerstel, C.P.J.W. van Kruysdijk, J.C. Vlugter and H.C.W. Beijerinck | 121 (1988) 211 |
| Molecules (neutral and ionic) | |
| Photoinduced intramolecular electron transfer and exciplex formation of 1-(1-pyrenyl)-3-(N-skatolyl)propane in polar solvents, K. Nakatani, T. Okada, N. Mataga and | 121 (1000) 07 |
| F.C. de Schryver Production of multiply charged ions from CO and CO ₂ molecules in energetic heavy-ion | 121 (1988) 87 |
| impact, T. Matsuo, T. Tonuma, M. Kase, T. Kambara, H. Kumagai and H. Tawara Ionization current detection of soft X-ray photoabsorption: sulfur and chlorine K-shell | 121 (1988) 93 |
| spectra of SO ₂ F ₂ , SO ₂ FCl and SO ₂ Cl ₂ , A.P. Hitchcock and M. Tronc | 121 (1988) 265 |
| | |

| diatomic | |
|--|--|
| accurate potential energy curves for the $X^{1}\Sigma^{+}$ and $A^{1}\Sigma^{+}$ states of NaH, A. Pardo, | |
| J.J. Camacho, J.M.L. Poyato and E. Martin | 121 (1988) 41 |
| Fluorescence lifetimes of NO A ² Σ^+ ($v'=3$ and 4), C ² Π ($v'=0$) and D ² Σ^+ ($v'=0$) studied | |
| by tunable VUV laser excitation, K. Tsukiyama, T. Munakata, M. Tsukakoshi and | |
| T. Kasuya | |
| | 121 (1988) 55 |
| Differential and absolute-total cross section measurements on elastic Ne*(3P _{0,2})-He col- | |
| lisions at 64 meV, P. Féron, Ph. Girard, J. Robert, J. Reinhardt and J. Baudon | 121 (1988) 155 |
| Electron momentum spectroscopy of the valence orbitals of CO: quantitative comparisons | |
| using wavefunctions up to the Hartree-Fock limit, C.L. French, C.E. Brion | |
| A.O. Bawagan, P.S. Bagus and E.R. Davidson | 121 (1988) 315 |
| A unified approach to the perturbed Morse oscillator and Simons-Parr-Finlan diatomic | |
| potential functions, I.L. Cooper | 121 (1988) 343 |
| Potential curves and predissociation rates for the species HCl ²⁺ and DCl ²⁺ , A. Banichevich, | |
| S.D. Peyerimhoff, M.C. van Hemert and P.G. Fournier | 121 (1988) 351 |
| Electronically excited states of chlorine monofluoride: a multi-reference configuration in | |
| teraction study, K.V. Darvesh, R.J. Boyd and S.D. Peyerimhoff | 121 (1988) 361 |
| MRD CI potential surfaces using balanced basis sets. V. Second-row diatomic hydrides | , |
| V.J. Barclay and J.S. Wright | 121 (1988) 381 |
| Measurement of broadening rates, shifts, and effective lifetimes of Li ₂ Rydberg levels by | 1 |
| optical double-resonance spectroscopy, R. Bombach, B. Hemmerling and W. Demtröder | 121 (1988) 439 |
| Two-photon formation of NH/ND(A ³ Π) in the 193 nm photolysis of ammonia. II. Pho | |
| tolysis of NH2, R.D. Kenner, R.K. Browarzik and F. Stuhl | 121 (1988) 457 |
| | |
| -small polyatomics Formation of NH($c^{1}\Pi$) and NH($A^{3}\Pi$) in the photolysis of NH, HN, and HNCO at 121 f | |
| Formation of NH(c ¹ Π) and NH(A ³ Π) in the photolysis of NH ₃ , HN ₃ and HNCO at 121.6 | |
| Formation of NH(c ¹ Π) and NH(A ³ Π) in the photolysis of NH ₃ , HN ₃ and HNCO at 121.6 nm, T. Hikida, Y. Maruyama, Y. Saito and Y. Mori | 121 (1988) 63 |
| Formation of NH(c ¹ Π) and NH(A ³ Π) in the photolysis of NH ₃ , HN ₃ and HNCO at 121.6 nm, T. Hikida, Y. Maruyama, Y. Saito and Y. Mori Spin densities and covalency in transition-metal complexes: a comparison of discrete vari | 121 (1988) 63 - |
| Formation of NH(c¹Π) and NH(A³Π) in the photolysis of NH ₃ , HN ₃ and HNCO at 121.6 nm, T. Hikida, Y. Maruyama, Y. Saito and Y. MoriSpin densities and covalency in transition-metal complexes: a comparison of discrete variational Xα calculations with polarised neutron diffraction data, R.J. Deeth, B.N. Figgi | 121 (1988) 63 - s |
| Formation of NH(c¹Π) and NH(A³Π) in the photolysis of NH ₃ , HN ₃ and HNCO at 121.6 nm, T. Hikida, Y. Maruyama, Y. Saito and Y. MoriSpin densities and covalency in transition-metal complexes: a comparison of discrete variational Xα calculations with polarised neutron diffraction data, R.J. Deeth, B.N. Figgi and M.I. Ogden | 121 (1988) 63 - s 121 (1988) 115 |
| Formation of NH(c¹Π) and NH(A³Π) in the photolysis of NH ₃ , HN ₃ and HNCO at 121.6 nm, T. Hikida, Y. Maruyama, Y. Saito and Y. Mori Spin densities and covalency in transition-metal complexes: a comparison of discrete variational Xα calculations with polarised neutron diffraction data, R.J. Deeth, B.N. Figgiand M.I. Ogden An ab initio molecular orbital study of the structure and vibrational frequencies of methy | 121 (1988) 63 - s 121 (1988) 115 |
| Formation of NH(c¹Π) and NH(A³Π) in the photolysis of NH ₃ , HN ₃ and HNCO at 121.6 nm, T. Hikida, Y. Maruyama, Y. Saito and Y. Mori Spin densities and covalency in transition-metal complexes: a comparison of discrete variational Xα calculations with polarised neutron diffraction data, R.J. Deeth, B.N. Figgi and M.I. Ogden An ab initio molecular orbital study of the structure and vibrational frequencies of methy copper hydride, CH ₃ CuH, G.E. Quelch and I.H. Hillier | 121 (1988) 63 - s 121 (1988) 115 1 121 (1988) 183 |
| Formation of NH(c¹Π) and NH(A³Π) in the photolysis of NH ₃ , HN ₃ and HNCO at 121.6 nm, T. Hikida, Y. Maruyama, Y. Saito and Y. Mori Spin densities and covalency in transition-metal complexes: a comparison of discrete variational Xα calculations with polarised neutron diffraction data, R.J. Deeth, B.N. Figgiand M.I. Ogden An ab initio molecular orbital study of the structure and vibrational frequencies of methy copper hydride, CH ₃ CuH, G.E. Quelch and I.H. Hillier Scaled quantum mechanical calculation of the vibrational structure of methylthiirane | 121 (1988) 63 - s 121 (1988) 115 1 121 (1988) 183 |
| Formation of NH(c¹Π) and NH(A³Π) in the photolysis of NH₃, HN₃ and HNCO at 121.6 nm, T. Hikida, Y. Maruyama, Y. Saito and Y. Mori Spin densities and covalency in transition-metal complexes: a comparison of discrete variational Xα calculations with polarised neutron diffraction data, R.J. Deeth, B.N. Figgiand M.I. Ogden An ab initio molecular orbital study of the structure and vibrational frequencies of methy copper hydride, CH₃CuH, G.E. Quelch and I.H. Hillier Scaled quantum mechanical calculation of the vibrational structure of methylthiirane J.S. Alper and M.A. Lowe | 121 (1988) 63 - s 121 (1988) 115 1 121 (1988) 183 - ; 121 (1988) 189 |
| Formation of NH(c¹Π) and NH(A³Π) in the photolysis of NH₃, HN₃ and HNCO at 121.6 nm, T. Hikida, Y. Maruyama, Y. Saito and Y. Mori Spin densities and covalency in transition-metal complexes: a comparison of discrete variational Xα calculations with polarised neutron diffraction data, R.J. Deeth, B.N. Figgi and M.I. Ogden An ab initio molecular orbital study of the structure and vibrational frequencies of methy copper hydride, CH₃CuH, G.E. Quelch and I.H. Hillier Scaled quantum mechanical calculation of the vibrational structure of methylthiirane J.S. Alper and M.A. Lowe Ionization current detection of soft X-ray photoabsorption: sulfur and chlorine K-shell | 121 (1988) 63 - s 121 (1988) 115 1 121 (1988) 183 s 121 (1988) 189 |
| Formation of NH(c¹Π) and NH(A³Π) in the photolysis of NH₃, HN₃ and HNCO at 121.6 nm, T. Hikida, Y. Maruyama, Y. Saito and Y. Mori Spin densities and covalency in transition-metal complexes: a comparison of discrete variational Xα calculations with polarised neutron diffraction data, R.J. Deeth, B.N. Figgi and M.I. Ogden An ab initio molecular orbital study of the structure and vibrational frequencies of methy copper hydride, CH₃CuH, G.E. Quelch and I.H. Hillier Scaled quantum mechanical calculation of the vibrational structure of methylthiirane J.S. Alper and M.A. Lowe Ionization current detection of soft X-ray photoabsorption: sulfur and chlorine K-shell spectra of SO₂F₂, SO₂FCl and SO₂Cl₂, A.P. Hitchcock and M. Tronc | 121 (1988) 63 s 121 (1988) 115 11 121 (1988) 183 s 121 (1988) 189 11 121 (1988) 265 |
| Formation of NH(c¹Π) and NH(A³Π) in the photolysis of NH ₃ , HN ₃ and HNCO at 121.6 nm, T. Hikida, Y. Maruyama, Y. Saito and Y. Mori Spin densities and covalency in transition-metal complexes: a comparison of discrete variational Xα calculations with polarised neutron diffraction data, R.J. Deeth, B.N. Figgi and M.I. Ogden An ab initio molecular orbital study of the structure and vibrational frequencies of methy copper hydride, CH ₃ CuH, G.E. Quelch and I.H. Hillier Scaled quantum mechanical calculation of the vibrational structure of methylthiirane J.S. Alper and M.A. Lowe Ionization current detection of soft X-ray photoabsorption: sulfur and chlorine K-shel spectra of SO ₂ F ₂ , SO ₂ FCl and SO ₂ Cl ₂ , A.P. Hitchcock and M. Tronc Inner and valence shell electronic excitation of dimethyl sulfoxide by electron energy los | 121 (1988) 63 - s 121 (1988) 115 1 121 (1988) 183 c, 121 (1988) 189 II 121 (1988) 265 |
| Formation of NH(c¹Π) and NH(A³Π) in the photolysis of NH₃, HN₃ and HNCO at 121.6 nm, T. Hikida, Y. Maruyama, Y. Saito and Y. Mori Spin densities and covalency in transition-metal complexes: a comparison of discrete variational Xα calculations with polarised neutron diffraction data, R.J. Deeth, B.N. Figgi and M.I. Ogden An ab initio molecular orbital study of the structure and vibrational frequencies of methy copper hydride, CH₃CuH, G.E. Quelch and I.H. Hillier Scaled quantum mechanical calculation of the vibrational structure of methylthiirane J.S. Alper and M.A. Lowe Ionization current detection of soft X-ray photoabsorption: sulfur and chlorine K-shel spectra of SO₂F₂, SO₂FCl and SO₂Cl₂, A.P. Hitchcock and M. Tronc Inner and valence shell electronic excitation of dimethyl sulfoxide by electron energy los and photoabsorption spectroscopies, K.H. Sze, C.E. Brion, M. Tronc, S. Bodeur and | 121 (1988) 63 |
| Formation of NH(c¹Π) and NH(A³Π) in the photolysis of NH₃, HN₃ and HNCO at 121.6 nm, T. Hikida, Y. Maruyama, Y. Saito and Y. Mori Spin densities and covalency in transition-metal complexes: a comparison of discrete variational Xα calculations with polarised neutron diffraction data, R.J. Deeth, B.N. Figgi and M.I. Ogden An ab initio molecular orbital study of the structure and vibrational frequencies of methy copper hydride, CH₃CuH, G.E. Quelch and I.H. Hillier Scaled quantum mechanical calculation of the vibrational structure of methylthiirane J.S. Alper and M.A. Lowe Ionization current detection of soft X-ray photoabsorption: sulfur and chlorine K-shel spectra of SO₂F₂, SO₂FCl and SO₂Cl₂, A.P. Hitchcock and M. Tronc Inner and valence shell electronic excitation of dimethyl sulfoxide by electron energy los and photoabsorption spectroscopies, K.H. Sze, C.E. Brion, M. Tronc, S. Bodeur and A.P. Hitchcock | 121 (1988) 63 |
| Formation of NH(c¹Π) and NH(A³Π) in the photolysis of NH₃, HN₃ and HNCO at 121.6 nm, T. Hikida, Y. Maruyama, Y. Saito and Y. Mori Spin densities and covalency in transition-metal complexes: a comparison of discrete variational Xα calculations with polarised neutron diffraction data, R.J. Deeth, B.N. Figgi and M.I. Ogden An ab initio molecular orbital study of the structure and vibrational frequencies of methy copper hydride, CH₃CuH, G.E. Quelch and I.H. Hillier Scaled quantum mechanical calculation of the vibrational structure of methylthiirane J.S. Alper and M.A. Lowe Ionization current detection of soft X-ray photoabsorption: sulfur and chlorine K-shel spectra of SO₂F₂, SO₂FCl and SO₂Cl₂, A.P. Hitchcock and M. Tronc Inner and valence shell electronic excitation of dimethyl sulfoxide by electron energy los and photoabsorption spectroscopies, K.H. Sze, C.E. Brion, M. Tronc, S. Bodeur and | 121 (1988) 63 s 121 (1988) 115 d 121 (1988) 183 s 121 (1988) 189 d 121 (1988) 265 s d 121 (1988) 279 |

-aromatics

Photoinduced intramolecular electron transfer and exciplex formation of 1-(1-pyrenyl)-3-(N-skatolyl)propane in poler solvents, K. Nakatani, T. Okada, N. Mataga and F.C. de Schryver

121 (1988) 87

| -other large | |
|--|----------------|
| Picosecond optical phase conjugation using conjugated organic molecules, C. Maloney, | 121 (1000) 21 |
| H. Byrne, W.M. Dennis, W. Blau and J.M. Kelly Pyrrolidine conformation: a low-temperature dielectric relaxation study, J. Gilchrist, J | 121 (1988) 21 |
| C. Duplan and Y. Infarnet | 121 (1988) 131 |
| Molecular aggregates | |
| Simultaneous analysis of single-photon timing data with a reference method: application | |
| to a Poisson distribution of decay rates, N. Boens, A. Malliaris, M. van der Auweraer, H. Luo and F.C. de Schryver | 121 (1988) 199 |
| -dimers | |
| Coupled pair functional study on the hydrogen fluoride dimer. I. Energy surface and characterization of stationary points, M. Kofranek, H. Lischka and A. Karpfen | 121 (1988) 137 |
| Free radicals (including hydronium and muonium) | |
| Formation of NH(c ¹ Π) and NH(A ³ Π) in the photolysis of NH ₃ , HN ₃ and HNCO at 121.6 | |
| nm, T. Hikida, Y. Maruyama, Y. Saito and Y. Mori | 121 (1988) 63 |
| Spectroscopy and kinetics of thiophenoxy radicals in the gas phase, K. Shibuya, M. Nemoto, A. Yanagibori, M. Fukushima and K. Obi | 121 (1988) 237 |
| The reaction of muonium with hydrated electrons, SK. Leung, JC. Brodovitch, | 121 (1900) 257 |
| P.W. Percival, D. Yu and K.E. Newman | 121 (1988) 393 |
| Quasiparticles (including excitons) | |
| Diffusive excitation energy transport in quasi-one-dimensional crystals with traps and in related systems, A.I. Onipko, L.I. Malysheva and I.V. Zozulenko | 121 (1988) 99 |
| PHENOMENA | |
| Molecular structure | |
| Spin densities and covalency in transition-metal complexes: a comparison of discrete vari- | |
| ational $X\alpha$ calculations with polarised neutron diffraction data, R.J. Deeth, B.N. Figgis | 131 (1000) 115 |
| and M.I. Ogden Pyrrolidine conformation: a low-temperature dielectric relaxation study, J. Gilchrist, J | 121 (1988) 115 |
| C. Duplan and Y. Infarnet | 121 (1988) 131 |
| Coupled pair functional study on the hydrogen fluoride dimer. I. Energy surface and char- | 404 (4000) 400 |
| acterization of stationary points, M. Kofranek, H. Lischka and A. Karpfen An ab initio molecular orbital study of the structure and vibrational frequencies of methyl | 121 (1988) 137 |
| copper hydride, CH ₃ CuH, G.E. Quelch and I.H. Hillier | 121 (1988) 183 |
| MRD CI potential surfaces using balanced basis sets. V. Second-row diatomic hydrides, | , , , , |
| V.J. Barclay and J.S. Wright | 121 (1988) 381 |
| Vibrations and rotations of molecules | |
| Coupled pair functional study on the hydrogen fluoride dimer. I. Energy surface and char- | |
| acterization of stationary points, M. Kofranek, H. Lischka and A. Karpfen An ab initio molecular orbital study of the structure and vibrational frequencies of methyl | 121 (1988) 137 |
| copper hydride, CH ₃ CuH, G.E. Quelch and I.H. Hillier | 121 (1988) 183 |
| | |

| Scaled quantum mechanical calculation of the vibrational structure of methylthiirane, | |
|--|----------------|
| J.S. Alper and M.A. Lowe Zero-field NMR line shapes: heteronuclear spin systems, Yu.A. Serebrennikov, M.I. Majitov | 121 (1988) 189 |
| and Z.M. Muldakhmetov | 121 (1988) 307 |
| A unified approach to the perturbed Morse oscillator and Simons-Parr-Finlan diatomic | |
| potential functions, I.L. Cooper MRD CI potential surfaces using balanced basis sets. V. Second-row diatomic hydrides, | 121 (1988) 343 |
| V.J. Barclay and J.S. Wright | 121 (1988) 381 |
| Electronic structure and states | |
| Accurate potential energy curves for the $X^1\Sigma^+$ and $A^1\Sigma^+$ states of NaH, A. Pardo, | 101 (1000) 41 |
| J.J. Camacho, J.M.L. Poyato and E. Martin Fluorescence lifetimes of NO A ² Σ^+ ($\nu' = 3$ and 4), $C^2\Pi(\nu' = 0)$ and $D^2\Sigma^+$ ($\nu' = 0$) studied | 121 (1988) 41 |
| by tunable VUV laser excitation, K. Tsukiyama, T. Munakata, M. Tsukakoshi and | |
| T. Kasuya | 121 (1988) 55 |
| An ab initio molecular orbital study of the structure and vibrational frequencies of methyl copper hydride, CH ₃ CuH, G.E. Quelch and I.H. Hillier | 121 (1988) 183 |
| Inner and valence shell electronic excitation of dimethyl sulfoxide by electron energy loss | 121 (1700) 103 |
| and photoabsorption spectroscopies, K.H. Sze, C.E. Brion, M. Tronc, S. Bodeur and A.P. Hitchcock | 121 (1988) 279 |
| Electron momentum spectroscopy of the valence orbitals of CO: quantitative comparisons using wavefunctions up to the Hartree-Fock limit, C.L. French, C.E. Brion, | 121 (1700) 217 |
| A.O. Bawagan, P.S. Bagus and E.R. Davidson | 121 (1988) 315 |
| Potential curves and predissociation rates for the species HCl ²⁺ and DCl ²⁺ , A. Banichevich, S.D. Peyerimhoff, M.C. van Hemert and P.G. Fournier | 121 (1988) 351 |
| Electronically excited states of chlorine monofluoride: a multi-reference configuration in- | 101 (1000) 0(1 |
| teraction study, K.V. Darvesh, R.J. Boyd and S.D. Peyerimhoff MRD CI potential surfaces using balanced basis sets. V. Second-row diatomic hydrides, | 121 (1988) 361 |
| V.J. Barclay and J.S. Wright | 121 (1988) 381 |
| Electric and magnetic properties | |
| Evolution of photoelectric signal in pTS diacetylene single crystals during solid-state po- | 121 (1000) 246 |
| lymerization, M. Orczyk, J. Sworakowski, M. Schott and M. Bertault Pretransitional nonlinear dielectric effect, Kerr effect and optical rotation in isotropic cho- | 121 (1988) 245 |
| lesterogens, W. Pyżuk, I. Słomka, J. Chrapeć, S. Rzoska and J. Zioło | 121 (1988) 255 |
| Effective polarizabilities in absorbing regions of molecular crystals, R.W. Munn and R.J. Phillips | 121 (1988) 335 |
| | |
| Spin splittings | |
| Zero-field NMR line shapes: heteronuclear spin systems, Yu.A. Serebrennikov, M.I. Majitov and Z.M. Muldakhmetov | 121 (1988) 307 |
| Optical activity | |
| Pretransitional nonlinear dielectric effect, Kerr effect and optical rotation in isotropic cho- | 121 (1000) 255 |
| lesterogens, W. Pyżuk, I. Słomka, J. Chrapeć, S. Rzoska and J. Zioło | 121 (1988) 255 |

Molecular interactions Photoinduced intramolecular electron transfer and exciplex formation of 1-(1-pyrenyl)-3-(N-skatolyl) propane in polar solvents, K. Nakatani, T. Okada, N. Mataga and 121 (1988) 87 F.C. de Schryver Coupled pair functional study on the hydrogen fluoride dimer. I. Energy surface and characterization of stationary points, M. Kofranek, H. Lischka and A. Karpfen 121 (1988) 137 Differential and absolute-total cross section measurements on elastic Ne*(3P0.2)-He collisions at 64 meV, P. Féron, Ph. Girard, J. Robert, J. Reinhardt and J. Baudon 121 (1988) 155 Time evolution of the excited solute-solvent interaction energy. An approach based on the Fokker-Planck equation, O. Roliński 121 (1988) 175 Long-range intermolecular potentials for the metastable rare gas-rare gas systems Ar*, Kr*(3P_{0.2})+Ar, Kr, Xe, E.R.T. Kerstel, C.P.J.W. van Kruysdijk, J.C. Vlugter and H.C.W. Beijerinck 121 (1988) 211 A unified approach to the perturbed Morse oscillator and Simons-Parr-Finlan diatomic 121 (1988) 343 potential functions, I.L. Cooper Spectral bandshapes and intensities Effective polarizabilities in absorbing regions of molecular crystals, R.W. Munn and 121 (1988) 335 R.J. Phillips Measurement of broadening rates, shifts, and effective lifetimes of Li₂ Rydberg levels by optical double-resonance spectroscopy, R. Bombach, B. Hemmerling and W. Demtröder 121 (1988) 439 Coupling of electronic and nuclear motion Vibronic couplings in vibrational spectra and nonlinear electrooptic properties of meta-121 (1988) 449 nitroaniline crystal, M.M. Szostak Energy transfer processes Diffusive excitation energy transport in quasi-one-dimensional crystals with traps and in related systems, A.I. Onipko, L.I. Malysheva and I.V. Zozulenko 121 (1988) 99 Donor-acceptor kinetics in the presence of energy migration. Forward and reverse energy transfer, K. Sienicki and M.A. Winnik 121 (1988) 163 Long-range intermolecular potentials for the metastable rare gas-rare gas systems Ar*, Kr*(3P_{0.2})+Ar, Kr, Xe, E.R.T. Kerstel, C.P.J.W. van Kruysdijk, J.C. Vlugter and H.C.W. Beijerinck 121 (1988) 211 Exciton trapping at perturbed Mn²⁺ sites in Li⁺ doped crystals of RbMnCl₃ and CsMnBr₃, G.N. Kwawer, R.A. Auerbach and G.L. McPherson 121 (1988) 299 Measurement of broadening rates, shifts, and effective lifetimes of Li₂ Rydberg levels by optical double-resonance spectroscopy, R. Bombach, B. Hemmerling and W. Demtröder 121 (1988) 439 Molecular photophysical processes On the use and the performance of the delta function convolution method for the esti-

mation of fluorescence decay parameters, N. Boens, M. Ameloot, I. Yamazaki and

Simultaneous analysis of single-photon timing data with a reference method: application to a Poisson distribution of decay rates, N. Boens, A. Malliaris, M. van der Auweraer,

Two-photon formation of NH/ND(A³II) in the 193 nm photolysis of ammonia. II. Pho-

tolysis of NH₂, R.D. Kenner, R.K. Browarzik and F. Stuhl

121 (1988) 73

121 (1988) 199

121 (1988) 457

F.C. de Schryver

H. Luo and F.C. de Schryver

| Intramolecular dynamics | |
|---|----------------|
| Production of multiply charged ions from CO and CO ₂ molecules in energetic heavy-ion | |
| impact, T. Matsuo, T. Tonuma, M. Kase, T. Kambara, H. Kumagai and H. Tawara | 121 (1988) 93 |
| Non-radiative relaxation in jet-cooled xanthione and some molecular complexes studied | |
| by fluorescence and phosphorescence excitation, A.L. Motyka and M.R. Topp | 121 (1988) 405 |
| -radiationless transitions | |
| Potential curves and predissociation rates for the species HCl ²⁺ and DCl ²⁺ , A. Banichevich, | |
| S.D. Peyerimhoff, M.C. van Hemert and P.G. Fournier | 121 (1988) 351 |
| Non-radiative relaxation in jet-cooled xanthione and some molecular complexes studied | |
| by fluorescence and phosphorescence excitation, A.L. Motyka and M.R. Topp | 121 (1988) 405 |
| -vibrational energy redistribution (including vibrational dissociation) | |
| Non-radiative relaxation in jet-cooled xanthione and some molecular complexes studied | |
| by fluorescence and phosphorescence excitation, A.L. Motyka and M.R. Topp | 121 (1988) 405 |
| Luminescence spectra, yields and lifetimes | |
| Fluorescence lifetimes of NO A ² Σ^+ ($v'=3$ and 4), C ² $\Pi(v'=0)$ and D ² Σ^+ ($v'=0$) studied | |
| by tunable VUV laser excitation, K. Tsukiyama, T. Munakata, M. Tsukakoshi and | |
| T. Kasuya | 121 (1988) 55 |
| Formation of NH(c ¹ Π) and NH(A ³ Π) in the photolysis of NH ₃ , HN ₃ and HNCO at 121.6 | |
| nm, T. Hikida, Y. Maruyama, Y. Saito and Y. Mori | 121 (1988) 63 |
| On the use and the performance of the delta function convolution method for the esti- | |
| mation of fluorescence decay parameters, N. Boens, M. Ameloot, I. Yamazaki and | |
| F.C. de Schryver | 121 (1988) 73 |
| Exciton trapping at perturbed Mn2+ sites in Li+ doped crystals of RbMnCl3 and CsMnBr3, | |
| G.N. Kwawer, R.A. Auerbach and G.L. McPherson | 121 (1988) 299 |
| Non-linear responses (including optical) | |
| Picosecond optical phase conjugation using conjugated organic molecules, C. Maloney, | |
| H. Byrne, W.M. Dennis, W. Blau and J.M. Kelly | 121 (1988) 21 |
| Vibronic couplings in vibrational spectra and nonlinear electrooptic properties of meta- | |
| nitroaniline crystal, M.M. Szostak | 121 (1988) 449 |
| Reactions (including dissociation) | |
| -gas phase | |
| Fluorescence lifetimes of NO A ² Σ^+ ($v'=3$ and 4), C ² $\Pi(v'=0)$ and D ² Σ^+ ($v'=0$) studied | |
| by tunable VUV laser excitation, K. Tsukiyama, T. Munakata, M. Tsukakoshi and | |
| T. Kasuya | 121 (1988) 55 |
| Formation of NH(c ¹ Π) and NH(A ³ Π) in the photolysis of NH ₃ , HN ₃ and HNCO at 121.6 | |
| nm, T. Hikida, Y. Maruyama, Y. Saito and Y. Mori | 121 (1988) 63 |
| -condensed phase | |
| Evolution of photoelectric signal in pTS diacetylene single crystals during solid-state po- | |
| lymerization, M. Orczyk, J. Sworakowski, M. Schott and M. Bertault | 121 (1988) 245 |
| The reaction of muonium with hydrated electrons, SK. Leung, JC. Brodovitch, | 121 12222 |
| P.W. Percival, D. Yu and K.E. Newman | 121 (1988) 393 |
| | |

-photochemical

- Two-photon formation of NH/ND(A ³Π) in the 193 nm photolysis of ammonia. II. Photolysis of NH₂, R.D. Kenner, R.K. Browarzik and F. Stuhl
- 121 (1988) 457

Tunnelling

- Potential curves and predissociation rates for the species HCl²⁺ and DCl²⁺, A. Banichevich, S.D. Peyerimhoff, M.C. van Hemert and P.G. Fournier
- 121 (1988) 351

Electron transfer

Photoinduced intramolecular electron transfer and exciplex formation of 1-(1-pyrenyl)-3-(N-skatolyl)propane in polar solvents, K. Nakatani, T. Okada, N. Mataga and F.C. de Schryver

121 (1988) 87

Ionization (including Rydberg states)

Production of multiply charged ions from CO and CO₂ molecules in energetic heavy-ion impact, T. Matsuo, T. Tonuma, M. Kase, T. Kambara, H. Kumagai and H. Tawara Ionization current detection of soft X-ray photoabsorption: sulfur and chlorine K-shell

spectra of SO₂F₂, SO₂FCl and SO₂Cl₂, A.P. Hitchcock and M. Tronc

121 (1988) 93 121 (1988) 265

- Molecular motion (including diffusive)

 Fokker-Planck-Langevin and extended diffusion models of internal rotation in molecules.

 I. Symmetric internal rotor, T.E. Bull
- 121 (1988) 1
- Photoinduced intramolecular electron transfer and exciplex formation of 1-(1-pyrenyl)-3-(N-skatolyl)propane in polar solvents, K. Nakatani, T. Okada, N. Mataga and F.C. de Schryver
- 121 (1988) 87
- The reaction of muonium with hydrated electrons, S.-K. Leung, J.-C. Brodovitch, P.W. Percival, D. Yu and K.E. Newman
- 121 (1988) 393

Critical phenomena

- Pretransitional nonlinear dielectric effect, Kerr effect and optical rotation in isotropic cholesterogens, W. Pyżuk, I. Słomka, J. Chrapeć, S. Rzoska and J. Zioło
- 121 (1988) 255

